


WHAT IS CLAIMED IS:

1. A stilbene compound, corresponding to formula (I):



wherein:

5







- R_1 represents

- (i) the $-CH_3$ radical,
- (ii) the radical $-CH_2-O-R_6$,
- (iii) the radical $-O-R_6$, or
- (iv) the radical $-CO-R_7$,

10

wherein the radicals R_6 and R_7 having the meanings given below,

- Ar represents a radical comprising one of the radicals of formulae (a) to (f):



wherein R_8 and R_9 having the meanings given below,

- R_2 and R_3 , which may be identical or different, represent a hydrogen atom or a lower alkyl radical,


- R_4 represents the radical $-(X)_m-(CH_2)_n-Y-(CH_2)_p-R_{10}$

the values m , n and p and the radicals X , Y and R_{10} having the meanings given below,

- R_5 represents a hydrogen or halogen atom, a lower alkyl radical or a radical $-O-R_6$,

- R_6 represents a hydrogen atom, a lower alkyl radical or a radical $-CO-R_{11}$,

- R_7 represents a hydrogen atom, a lower alkyl radical, a radical $-OR_{12}$ or a radical



wherein R' and R'' , which may be identical or different, represent a hydrogen atom, a lower alkyl radical, a mono- or polyhydroxyalkyl radical, an optionally substituted aryl radical or an amino acid or peptide or sugar residue, or alternatively, taken together, form a heterocycle,

wherein

- m is an integer equal to 0 or 1,

- n is an integer ranging from 1 to 6, inclusive,

- p is an integer ranging from 1 to 6, inclusive,

- X represents O or $S(O)_q$,

- Y represents O, S(O)_q or N-R₉,
- q is an integer ranging from 0 to 2,
inclusive,
- R₈ represents a hydrogen or halogen atom, a
5 lower alkyl radical or a radical -O-R₆,
- R₉ represents a hydrogen atom, a lower
alkyl radical or a radical -CO-R₁₁,
- R₁₀ represents a mono- or polyhydroxyalkyl
radical wherein the hydroxyls are optionally protected
10 in the form of methoxy, ethoxy, acetoxy or acetonide, a
radical -CO-R₇ or an optionally substituted aryl or
aralkyl radical,
- R₁₁ represents a lower alkyl radical,
- R₁₂ represents a hydrogen atom, an alkyl
15 radical, an alkenyl radical, a mono- or
polyhydroxyalkyl radical in which the hydroxyls are
optionally protected in the form of methoxy, ethoxy,
acetoxy or acetonide, an optionally substituted aryl or
aralkyl radical, a sugar residue or an amino acid or
20 peptide residue, or salts thereof or optical or
geometrical isomers thereof.

2. The compound as defined by Claim 1,
which is in the form of a salt of an alkali metal or
alkaline earth metal, of zinc, of an organic amine or
25 of an inorganic or organic acid.

3. The compounds as defined by Claim 1,
wherein the lower alkyl radical comprises a methyl,
ethyl, propyl, isopropyl, tert-butyl or hexyl radical.

4. The compound as defined by Claim 1,
30 wherein the polyhydroxyalkyl radical comprises
2,3-dihydroxypropyl, 2,3,4-trihydroxybutyl, or

2,3,4,5-tetrahydroxypentyl radical or the pentaerythritol residue.

5. The compound as defined by Claim 1, wherein the aryl radical comprises a phenyl radical
5 optionally substituted with at least one halogen atom, a hydroxyl radical, an alkyl radical, a nitro function, a methoxy group or an optionally substituted amine function.

6. The compound as defined by Claim 1,
10 wherein the aralkyl radical comprises benzyl or phenethyl radicals, optionally substituted with at least one halogen atom, a hydroxyl, a nitro function or a methoxy group.

7. The compound as defined by Claim 1,
15 wherein the alkenyl radical comprises radicals containing from 2 to 5 carbon atoms and having one or more ethylenic unsaturations, and in particular the allyl radical.

8. The compound as defined by Claim 7,
20 wherein the alkenyl radical comprises an allyl radical.

9. The compound as defined by Claim 1, wherein the sugar residue comprises a glucose, galactose, mannose or glucuronic acid residue.

10. The compound as defined by Claim 1,
25 wherein the amino acid residue comprises a residue derived from lysine, glycine or aspartic acid.

11. The compound as defined by Claim 1, wherein the peptide residue comprises dipeptide or tripeptide residues.

12. The compound as defined by Claim 1, wherein the heterocyclic radical comprises piperidino, morpholino, pyrrolidino and piperazino radicals optionally substituted in position 4 with a C₁-C₆ alkyl or polyhydroxyalkyl radical.

13. The compound as defined by Claim 1, wherein the halogen atom comprises fluorine, bromine or chlorine.

14. The compound as defined by Claim 1, comprising:

Ethyl 4-[(E)-2-(3-(1-adamantyl)-4-methoxyethoxy-methoxyphenyl)ethenyl]benzoate;
 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)ethenyl]benzoic acid;
 Ethyl 4-[(E)-2-(3-(1-adamantyl)-4-methoxyethoxy-methoxyphenyl)-1-propenyl]benzoate;
 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]benzoic acid;
 4-[(Z)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]benzoic acid;
 Methyl 5-{2-[3-adamant-1-yl-4-(2-methoxyethoxy-methoxy)phenyl]propen-(E)-yl}pyridine-2-carboxylate;
 5-{2-[3-Adamant-1-yl-4-(2-methoxyethoxymethoxy)-phenyl]propen-(E)-yl}pyridine-2-carboxylic acid;
 5-{2-[3-Adamant-1-yl-4-(2-methoxyethoxymethoxy)-phenyl]propen-(Z)-yl}pyridine-2-carboxylic acid;

Ethyl 6-{2-[3-adamant-1-yl-4-(2-methoxyethoxymethoxy)phenyl]propen-(E)-yl}nicotinate;

6-{2-[3-Adamant-1-yl-4-(2-methoxyethoxymethoxy)-phenyl]propen-(E)-yl}nicotinic
5 acid;

6-{2-[3-Adamant-1-yl-4-(2-methoxyethoxymethoxy)-phenyl]propen-(Z)-yl}nicotinic
acid;

Methyl 4-{2-[3-adamant-1-yl-4-(2-methoxyethoxy-methoxy)phenyl]propen-(Z)-yl}-2-methoxybenzoate;

4-{2-[3-Adamant-1-yl-4-(2-methoxyethoxymethoxy)-phenyl]propen-(E)-yl}-2-methoxybenzoic acid;

4-{2-[3-Adamant-1-yl-4-(2-methoxyethoxymethoxy)-phenyl]propen-(Z)-yl}-2-methoxybenzoic acid;

Ethyl 4-{2-[3-adamant-1-yl-4-(3-ethoxymethoxypropyl)phenyl]propen-(E/Z)-yl}benzoate;

4-{2-[3-Adamant-1-yl-4-(3-ethoxymethoxypropyl)phenyl]propen-(E)-yl}benzoic acid;

4-{2-[3-Adamant-1-yl-4-(3-ethoxymethoxypropyl)phenyl]propen-(Z)-yl}benzoic acid;

Ethyl 4-{2-[3-adamant-1-yl-4-(3-benzyloxypropyl)-phenyl]propen-(E/Z)-yl}-benzoate;

4-{2-[3-Adamant-1-yl-4-(3-benzyloxypropyl)phenyl]-propen-(E)-yl}-benzoic acid;

4-{2-[3-Adamant-1-yl-4-(3-benzyloxypropyl)phenyl]-propen-(Z)-yl}benzoic acid;

Ethyl 4-{2-[3-adamant-1-yl-4-(3-diethylcarbamoyl-

methoxypropyl)phenyl]propenyl}benzoate;

4-{2-[3-Adamant-1-yl-4-(3-diethylcarbamoylmethoxy-propyl)phenyl]propenyl}benzoic
35 acid;

- Ethyl 4-{2-[3-adamant-1-yl-4-(3-carboxymethoxypropyl)phenyl]propenyl}benzoate;
 4-{2-[3-Adamant-1-yl-4-(3-carboxymethoxypropyl)-phenyl]propenyl}benzoic acid;
 5 Ethyl 4-{2-[3-adamant-1-yl-4-(3-carbamoylmethoxy-propyl)phenyl]propenyl}benzoate;
 4-{2-[3-Adamant-1-yl-4-(3-carbamoylmethoxypropyl)-phenyl]propenyl}benzoic acid;
 N-Ethyl-4-[(E)-2-(3-(1-adamantyl)-4-methoxyethoxy-methoxyphenyl)-1-propenyl]benzamide;
 10 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]benzamide;
 N-4-(Hydroxyphenyl)-4-[(E)-2-(3-(1-adamantyl)-4-methoxyethoxymethoxyphenyl)-1-propenyl]benzamide;
 15 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]benzenemethanol;
 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]benzaldehyde;
 20 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]phenol;
 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethoxy-phenyl)-1-propenyl]benzoic acid
 25 morpholide; or
 4-[(E)-2-(3-(1-Adamantyl)-4-methoxyethoxymethyl-sulphanylphenyl)-1-propenyl]benzoic acid;
 or mixtures thereof.

- 30 15. The compound as defined by Claim 1, having at least one of the following characteristics:
 - R₁ is the radical -CO-R₇,
 - Ar represents the radicals of formulae (a) or (b),

- X and Y, which may be identical or different, independently represent an oxygen or sulfur atom,

- R₃ represents a lower alkyl radical.

5 16. A pharmaceutical composition comprising at least one stilbene compound as defined by Claim 1 and pharmaceutically acceptable carrier therefor.

10 17. The pharmaceutical composition as defined by Claim 16, wherein said stilbene compound ranges from 0.01% to 5% by weight relative to the weight of the entire composition.

18. A cosmetic composition comprising at least one stilbene compound as defined by Claim 1 and a cosmetically acceptable carrier therefor.

15 19. The cosmetic composition as defined by Claim 18, wherein said stilbene compound ranges from 0.001% to 3% by weight relative to the weight of the entire composition.

20 20. The cosmetic composition as defined by Claim 18, which is applied to the body or the hair.

21. A method for the prevention or treatment of a dermatological condition at least one compound as defined by Claim 1, to a patient in need of such prevention or treatment.

25 22. The method as defined by Claim 21, wherein said dermatological condition comprises a condition involving at least one of common acne, comedones, polymorphonuclear leukocytes, acne rosacea,

nodulocystic acne, acne conglobata, senile acne, secondary acnes, medication-induced acne, occupational acne, ichthyosis, ichthyosiform states, Darrier's disease, palmoplantar keratoderma, leucoplasia, a
5 leucoplasiform state, cutaneous or mucous (buccal) lichen, keratinization disorder having an inflammatory and/or immunoallergic component, cutaneous, mucous or ungual psoriasis, psoriatic rheumatism, cutaneous atopy, eczema, respiratory atopy, gingival hypertrophy;
10 inflammatory complaints which do not exhibit a disorder of keratinization; dermal or epidermal proliferations, common warts, flat warts and verruciform epidermodysplasia, oral or florid papillomatoses, basocellular and spinocellular epitheliomas; bullosis
15 and collagen diseases; ophthalmological disorders, corneopathies; light-induced and chronological aging of the skin, actinic keratoses and pigmentations; stigmata of epidermal and/or dermal atrophy induced by local or systemic corticosteroids, skin atrophy; cicatrization
20 disorders, stretch marks; sebaceous functioning, hyperseborrhoea of acne or simple seborrhoea; cancerous or precancerous states, promyelocytic leukemias; inflammatory complaints, arthritis; viruses; alopecia; dermatological complaints having an immunological
25 component; complaints of the cardiovascular system, arteriosclerosis, hypertension, insulin-independent diabetes; or skin disorders due to exposure to UV radiation.